

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

URBAN AND REGIONAL LAND USE ANALYSIS:
CARETS AND CENSUS CITIES EXPERIMENT PACKAGE

E 7.5 - 1 0.3.4 8

CR-143150

"Made available under NASA sponsorship
in the interest of early and wide dis-
semination of Earth Resources Survey
Program information and without liability
for any use made thereof."

SKYLAB/EREP INVESTIGATION NO. 469
NASA Order No. T-5290 B

MONTHLY PROGRESS REPORT

(E75-10348) URBAN AND REGIONAL LAND USE
ANALYSIS: CARETS AND CENSUS CITIES
EXPERIMENT PACKAGE Monthly Progress Report
(Geological Survey, Reston, Va.) 16 p HC
\$3.25

N75-28486

Unclas
CSCI 08E G3/43 00348

Harry F. Lins, Jr.
and Daniel B. Gallagher
U.S. Geological Survey
Geography Program
Reston, Virginia 22092
February 25, 1975

Principal Investigator
Robert Alexander
U.S. Geological Survey
Reston, Virginia 22092

NASA Technical Monitor
John T. Wheeler
Technology Utilization Officer
NASA-Manned Spacecraft Center
Houston, Texas 77058

Save Energy and You Serve America!

Monthly Progress Report: February 25, 1975
Investigation No. 469

a.1. CARETS--Land use analysis: No change.

a.2. CARETS--Land use climatology: During the period of this report the climatology team has involved itself with 1). the manipulation of channel 21, S-192 tape data in the Baltimore-Washington area; 2). refining the technique of calibrating the channel 21 data to the terrestrial surface; and 3). setting-up Outcalt's simulator on the computer here at USGS Headquarters. Progress has been made in all areas to the extent that it is now possible to use the Skylab data, as well as data from Aircraft Mission 55M, to compare with simulations run on the Outcalt model.

a.3. Census Cities: Interpretation and change detection utilizing Skylab 3, S-190B coverage have been completed for the 400 sq. km. area (sheet 560-660, Atlas of Urban and Regional Change) centering around New Haven, Connecticut. Land use and land use change maps at a scale of 1:100,000 have been compiled and will appear in the final report to be submitted in June. All Level II (USGS Circular 671) urban and built-up categories could be identified from the S-190B imagery, as well as some more precise sub-categories under residential and transportation. Agricultural land could be distinguished only at a Level I degree of detail. Open land in the urbanized area was defined solely on the basis of cover under the appropriate observable Level II category, i.e., improved (golf course, cemetery, etc.), forested, (deciduous, coniferous, mixed), or wetland (forested, non-forested). Various categories of water and barren land were easily delimited under appropriate Level II listings.

Changes between 1970-1973 were few and small in size in this essentially dense, urban core area. Most changes involved open land changing to small residential tracts or commercial areas, ponds being drained or additions being made existing industrial areas. Several of the latter type involved the expansion of oil tank farms, indicating an increased oil storage/wholesaling capacity for the area between 1970-1973. Other types of changes and their possible implications will be documented in the final report to be submitted under this contract.

Work on the Phoenix test site involves similar interpretation and change detection being performed on the 400 sq. km. area (sheet 700-400, Atlas of Urban and Regional Change) that includes Scottsdale, Paradise Valley and western Phoenix. As in New Haven, all Level II urban and built-up categories can be delimited from the S-190B imagery. Difficulty is being encountered, however, in distinguishing multi-family housing from single-family housing. Changes in this area between 1970 and 1973 seem to have occurred primarily north of the Arizona Canal and mainly involve desert brushland changing to residential use.

Monthly Progress Report: February 25, 1975
Investigation No. 469

a.1. CARETS--Land use analysis: No change.

a.2. CARETS--Land use climatology: During the period of this report the climatology team has involved itself with 1). the manipulation of channel 21, S-192 tape data in the Baltimore-Washington area; 2). refining the technique of calibrating the channel 21 data to the terrestrial surface; and 3). setting-up Outcalt's simulator on the computer here at USGS Headquarters. Progress has been made in all areas to the extent that it is now possible to use the Skylab data, as well as data from Aircraft Mission 55M, to compare with simulations run on the Outcalt model.

a.3. Census Cities: Interpretation and change detection utilizing Skylab 3, S-190B coverage have been completed for the 400 sq. km. area (sheet 560-660, Atlas of Urban and Regional Change) centering around New Haven, Connecticut. Land use and land use change maps at a scale of 1:100,000 have been compiled and will appear in the final report to be submitted in June. All Level II (USGS Circular 671) urban and built-up categories could be identified from the S-190B imagery, as well as some more precise sub-categories under residential and transportation. Agricultural land could be distinguished only at a Level I degree of detail. Open land in the urbanized area was defined solely on the basis of cover under the appropriate observable Level II category, i.e., improved (golf course, cemetery, etc.), forested, (deciduous, coniferous, mixed), or wetland (forested, non-forested). Various categories of water and barren land were easily delimited under appropriate Level II listings.

Changes between 1970-1973 were few and small in size in this essentially dense, urban core area. Most changes involved open land changing to small residential tracts or commercial areas, ponds being drained or additions being made existing industrial areas. Several of the latter type involved the expansion of oil tank farms, indicating an increased oil storage/wholesaling capacity for the area between 1970-1973. Other types of changes and their possible implications will be documented in the final report to be submitted under this contract.

Work on the Phoenix test site involves similar interpretation and change detection being performed on the 400 sq. km. area (sheet 700-400, Atlas of Urban and Regional Change) that includes Scottsdale, Paradise Valley and western Phoenix. As in New Haven, all Level II urban and built-up categories can be delimited from the S-190B imagery. Difficulty is being encountered, however, in distinguishing multi-family housing from single-family housing. Changes in this area between 1970 and 1973 seem to have occurred primarily north of the Arizona Canal and mainly involve desert brushland changing to residential use.

Work on the Washington and San Francisco sites has started and will be detailed in future progress reports.

b. Recommendations concerning decisions and/or actions required to ensure attainment of the experiment's scientific objectives: At the present time a final decision has not been made regarding the PCM count intervals for the S055-4 data requested in the December, 1974 monthly report. However, this decision should be forthcoming in the March report.

c. Expected accomplishments during the next report periods: Two major tasks remain to be performed. One is to produce a gray map of temperature distribution for the Baltimore-Washington area, which will illustrate the relationship between land use and the thermal regime. The other is to begin running simulations on the Outcalt model for various land uses and then compare these "predicted" values with those obtained from the scanners on aircraft mission 55M and Skylab 3.

d. Significant results and their relationship to practical applications or operational problems: Several products were derived from the S-192 tapes this reporting period. Attachment 1 is the printout of temperatures in degrees Celsius. It was derived from PCM counts using the Pease's modified gray-window technique in the January monthly report. The variables are as follows: R_2 = spectral radiance received at the spacecraft in watts/cm²/um/ster; R_0 = spectral radiance leaving the earth's surface in watts/cm²/um/ster; N = global spectral radiance at the earth's surface in watts/cm²/um; and W = global radiance at the earth's surface in watts/cm². Attachment 2 is a histogram depicting number of pixel elements per PCM count. Attachment 3 is a statistical summary providing the mean, median, mode, standard deviation, and coefficient of skewness. All three Attachments are for the same 10 x 10 block-smoothed scene covering the Baltimore-Washington corridor including Chesapeake Bay.

Robert Pease has continued work on documenting the calibration of the data. To improve upon the basic technique included in last month's report we now have a more refined version which goes beyond documentation and makes suggestions for improving data collection operations.


Another accomplishment this month was getting the Outcalt simulator set up on the USGS computer. On February 14, Samuel Outcalt visited the National Center and along with Carol Jenner (one of John Lewis' students) modified the latest version of the simulator to run on the computer here. The input data to the model are basically meteorological and geographical in nature. Attachment 4 is a sample of the output derived from a climatic simulation based on a medium density residential area. The output data is presented in three matrices: 1) radiation values in langley's/minute; 2) energy balance constituents (RN = net radiation, S = soil heat flux, H = sensible heat flux, LE = latent heat flux) in langley's/minute and temperature

in degrees Celsius; and 3) soil temperature matrix. The next step will be to run simulations for various land uses using meteorological data from August 5, 1973 and compare these values with those actually observed by Skylab's scanner.

e. Summary outlook for remaining effort to be performed: No change.

f. Travel summary and plans: Samuel Outcalt visited the National Center on February 14 as described in section d. From April 20 to April 23, Robert Alexander, Harry Lins, John Lewis, Robert Pease, and Samuel Outcalt will be in Milwaukee, Wisconsin to make the presentations at the Association of American Geographers annual meeting. While there they will collaborate on the manuscript production for the Skylab final report.

Approved:



Robert H. Alexander
Project Investigator
Skylab/EREP Investigation No. 469

Attachment 1— PCM count to temperature (°C) conversion

ORIGINAL PAGE IS
OF POOR QUALITY

PCM	R2	R0	N	W	DEG C
0	1.3114E-04	-4.5043E-03	-1.5723E-04	-2.2453E-03	0.0
1	1.3590E-04	-3.8177E-05	-1.3326E-04	-1.9030E-03	0.0
2	1.4067E-04	-3.1311E-05	-1.0930E-04	-1.5608E-03	0.0
3	1.4543E-04	-2.4445E-05	-8.5330E-05	-1.2185E-03	0.0
4	1.5020E-04	-1.7579E-05	-6.1363E-05	-8.7627E-04	0.0
5	1.5496E-04	-1.0713E-05	-3.7306E-05	-5.3402E-04	0.0
6	1.5973E-04	-3.8473E-06	-1.3430E-05	-1.9177E-04	0.0
7	1.6449E-04	3.0187E-06	1.0537E-05	1.5047E-04	-201.2
8	1.6924E-04	9.8847E-06	3.4504E-05	4.9272E-04	-176.4
9	1.7400E-04	1.6751E-05	5.9471E-05	8.3496E-04	-162.8
10	1.7876E-04	2.3617E-05	8.2438E-05	1.1772E-03	-153.0
11	1.8352E-04	3.0483E-05	1.0640E-04	1.5195E-03	-145.0
12	1.8828E-04	3.7349E-05	1.3037E-04	1.8617E-03	-138.4
13	1.9304E-04	4.4215E-05	1.5434E-04	2.2040E-03	-132.6
14	1.9780E-04	5.1081E-05	1.7831E-04	2.5462E-03	-127.4
15	2.0256E-04	5.7947E-05	2.0227E-04	2.8884E-03	-122.8
16	2.0732E-04	6.4813E-05	2.2624E-04	3.2307E-03	-118.5
17	2.1208E-04	7.1679E-05	2.5021E-04	3.5729E-03	-114.5
18	2.1684E-04	7.8545E-05	2.7417E-04	3.9152E-03	-110.9
19	2.2160E-04	8.5411E-05	2.9814E-04	4.2574E-03	-107.5
20	2.2636E-04	9.2277E-05	3.2211E-04	4.5997E-03	-104.2
21	2.3112E-04	9.9143E-05	3.4607E-04	4.9419E-03	-101.2
22	2.3588E-04	1.0601E-04	3.7004E-04	5.2842E-03	-98.3
23	2.4064E-04	1.1287E-04	3.9401E-04	5.6264E-03	-95.5
24	2.4540E-04	1.1974E-04	4.1797E-04	5.9687E-03	-92.9
25	2.5016E-04	1.2661E-04	4.4194E-04	6.3109E-03	-90.3
26	2.5492E-04	1.3347E-04	4.6591E-04	6.6531E-03	-87.9
27	2.5968E-04	1.4034E-04	4.8987E-04	6.9954E-03	-85.6
28	2.6444E-04	1.4720E-04	5.1384E-04	7.3376E-03	-83.3
29	2.6920E-04	1.5407E-04	5.3781E-04	7.6797E-03	-81.1
30	2.7396E-04	1.6094E-04	5.6177E-04	8.0218E-03	-79.0
31	2.7872E-04	1.6780E-04	5.8574E-04	8.3644E-03	-77.0
32	2.8348E-04	1.7467E-04	6.0971E-04	8.7066E-03	-75.0
33	2.8824E-04	1.8153E-04	6.3367E-04	9.0489E-03	-73.1
34	2.9300E-04	1.8840E-04	6.5764E-04	9.3911E-03	-71.2
35	2.9776E-04	1.9527E-04	6.8161E-04	9.7334E-03	-69.4
36	3.0252E-04	2.0213E-04	7.0557E-04	1.0076E-02	-67.7
37	3.0728E-04	2.0900E-04	7.2954E-04	1.0418E-02	-65.9
38	3.1204E-04	2.1586E-04	7.5351E-04	1.0760E-02	-64.3
39	3.1680E-04	2.2273E-04	7.7748E-04	1.1102E-02	-62.6
40	3.2156E-04	2.2960E-04	8.0144E-04	1.1445E-02	-61.0
41	3.2632E-04	2.3646E-04	8.2541E-04	1.1787E-02	-59.5
42	3.3108E-04	2.4333E-04	8.4938E-04	1.2129E-02	-57.9
43	3.3584E-04	2.5019E-04	8.7334E-04	1.2471E-02	-56.4
44	3.4060E-04	2.5706E-04	8.9731E-04	1.2814E-02	-54.9
45	3.4536E-04	2.6393E-04	9.2128E-04	1.3156E-02	-53.5
46	3.5012E-04	2.7079E-04	9.4524E-04	1.3498E-02	-52.1
47	3.5488E-04	2.7766E-04	9.6921E-04	1.3840E-02	-50.7
48	3.5964E-04	2.8452E-04	9.9318E-04	1.4183E-02	-49.3
49	3.6440E-04	2.9139E-04	1.0171E-03	1.4525E-02	-48.0
50	3.6916E-04	2.9826E-04	1.0411E-03	1.4867E-02	-46.7
51	3.7392E-04	3.0512E-04	1.0651E-03	1.5209E-02	-45.4
52	3.7868E-04	3.1199E-04	1.0890E-03	1.5552E-02	-44.1
53	3.8344E-04	3.1885E-04	1.1130E-03	1.5894E-02	-42.9
54	3.8820E-04	3.2572E-04	1.1370E-03	1.6236E-02	-41.7
55	3.9296E-04	3.3259E-04	1.1610E-03	1.6578E-02	-40.4
56	3.9772E-04	3.3946E-04	1.1850E-03	1.6920E-02	-39.3
57	4.0248E-04	3.4632E-04	1.2090E-03	1.7262E-02	-38.1

ORIGINAL PAGE IS
OF POOR QUALITY

PCM	R2	R0	N	W	DEG C
58	4.0751E-04	3.5318E-04	1.2328E-03	1.7605E-02	-36.9
59	4.1227E-04	3.6005E-04	1.2568E-03	1.7947E-02	-35.8
60	4.1704E-04	3.6692E-04	1.2808E-03	1.8290E-02	-34.7
61	4.2180E-04	3.7378E-04	1.3047E-03	1.8632E-02	-33.6
62	4.2657E-04	3.8065E-04	1.3287E-03	1.8974E-02	-32.5
63	4.3133E-04	3.8751E-04	1.3527E-03	1.9316E-02	-31.4
64	4.3610E-04	3.9438E-04	1.3766E-03	1.9659E-02	-30.3
65	4.4086E-04	4.0125E-04	1.4006E-03	2.0001E-02	-29.3
66	4.4563E-04	4.0812E-04	1.4245E-03	2.0343E-02	-28.2
67	4.5039E-04	4.1499E-04	1.4485E-03	2.0685E-02	-27.2
68	4.5516E-04	4.2185E-04	1.4725E-03	2.1027E-02	-26.2
69	4.5992E-04	4.2871E-04	1.4965E-03	2.1370E-02	-25.2
70	4.6469E-04	4.3558E-04	1.5205E-03	2.1712E-02	-24.2
71	4.6945E-04	4.4244E-04	1.5445E-03	2.2054E-02	-23.2
72	4.7422E-04	4.4931E-04	1.5685E-03	2.2396E-02	-22.3
73	4.7898E-04	4.5617E-04	1.5925E-03	2.2739E-02	-21.3
74	4.8375E-04	4.6304E-04	1.6163E-03	2.3081E-02	-20.4
75	4.8851E-04	4.6991E-04	1.6403E-03	2.3423E-02	-19.5
76	4.9328E-04	4.7677E-04	1.6642E-03	2.3765E-02	-18.5
77	4.9804E-04	4.8364E-04	1.6882E-03	2.4107E-02	-17.6
78	5.0281E-04	4.9050E-04	1.7122E-03	2.4450E-02	-16.7
79	5.0757E-04	4.9737E-04	1.7361E-03	2.4792E-02	-15.8
80	5.1233E-04	5.0424E-04	1.7601E-03	2.5134E-02	-14.9
81	5.1710E-04	5.1110E-04	1.7841E-03	2.5477E-02	-14.1
82	5.2187E-04	5.1797E-04	1.8080E-03	2.5819E-02	-13.2
83	5.2663E-04	5.2483E-04	1.8320E-03	2.6161E-02	-12.4
84	5.3140E-04	5.3170E-04	1.8560E-03	2.6503E-02	-11.5
85	5.3616E-04	5.3857E-04	1.8799E-03	2.6846E-02	-10.7
86	5.4093E-04	5.4543E-04	1.9039E-03	2.7188E-02	-9.8
87	5.4569E-04	5.5230E-04	1.9279E-03	2.7530E-02	-9.0
88	5.5046E-04	5.5916E-04	1.9519E-03	2.7872E-02	-8.2
89	5.5522E-04	5.6603E-04	1.9758E-03	2.8215E-02	-7.4
90	5.5998E-04	5.7290E-04	1.9998E-03	2.8557E-02	-6.6
91	5.6475E-04	5.7976E-04	2.0237E-03	2.8899E-02	-5.8
92	5.6952E-04	5.8663E-04	2.0477E-03	2.9241E-02	-5.0
93	5.7428E-04	5.9349E-04	2.0717E-03	2.9583E-02	-4.2
94	5.7905E-04	6.0035E-04	2.0957E-03	2.9924E-02	-3.4
95	5.8381E-04	6.0722E-04	2.1196E-03	3.0266E-02	-2.7
96	5.8858E-04	6.1409E-04	2.1436E-03	3.0608E-02	-1.9
97	5.9334E-04	6.2095E-04	2.1675E-03	3.0950E-02	-1.2
98	5.9811E-04	6.2782E-04	2.1915E-03	3.1292E-02	-0.4
99	6.0287E-04	6.3469E-04	2.2155E-03	3.1634E-02	0.3
100	6.0764E-04	6.4155E-04	2.2395E-03	3.1976E-02	1.1
101	6.1240E-04	6.4842E-04	2.2634E-03	3.2318E-02	1.8
102	6.1717E-04	6.5529E-04	2.2874E-03	3.2660E-02	2.5
103	6.2193E-04	6.6215E-04	2.3114E-03	3.3002E-02	3.2
104	6.2670E-04	6.6902E-04	2.3353E-03	3.3344E-02	4.0
105	6.3146E-04	6.7589E-04	2.3593E-03	3.3686E-02	4.7
106	6.3623E-04	6.8275E-04	2.3833E-03	3.4028E-02	5.4
107	6.4099E-04	6.8962E-04	2.4072E-03	3.4370E-02	6.1
108	6.4576E-04	6.9649E-04	2.4312E-03	3.4712E-02	6.8
109	6.5052E-04	7.0335E-04	2.4552E-03	3.5054E-02	7.4
110	6.5529E-04	7.1022E-04	2.4791E-03	3.5396E-02	8.1
111	6.6005E-04	7.1709E-04	2.5031E-03	3.5738E-02	8.8
112	6.6482E-04	7.2395E-04	2.5271E-03	3.6080E-02	9.5
113	6.6958E-04	7.3082E-04	2.5510E-03	3.6422E-02	10.1
114	6.7435E-04	7.3769E-04	2.5750E-03	3.6764E-02	10.8
115	6.7911E-04	7.4456E-04	2.5990E-03	3.7106E-02	11.5
116	6.8388E-04	7.5143E-04	2.6230E-03	3.7448E-02	12.1

ORIGINAL PAGE IS
POOR QUALITY

PC4	R2	R0	N	M	DEO C
117	6.8564E-04	7.5828E-04	2.6469E-03	3.7798E-02	12.8
118	6.9241E-04	7.6514E-04	2.6709E-03	3.8140E-02	13.4
119	6.9917E-04	7.7201E-04	2.6948E-03	3.8482E-02	14.0
120	7.0294E-04	7.7888E-04	2.7188E-03	3.8824E-02	14.7
121	7.0770E-04	7.8574E-04	2.7428E-03	3.9167E-02	15.3
122	7.1247E-04	7.9261E-04	2.7667E-03	3.9509E-02	15.9
123	7.1723E-04	7.9947E-04	2.7907E-03	3.9851E-02	16.6
124	7.2200E-04	8.0634E-04	2.8147E-03	4.0193E-02	17.2
125	7.2675E-04	8.1321E-04	2.8386E-03	4.0534E-02	17.8
126	7.3151E-04	8.2007E-04	2.8626E-03	4.0874E-02	18.4
127	7.3626E-04	8.2693E-04	2.8866E-03	4.1215E-02	19.0
128	7.4102E-04	8.3379E-04	2.9105E-03	4.1556E-02	19.6
129	7.4578E-04	8.4067E-04	2.9345E-03	4.1896E-02	20.2
130	7.5054E-04	8.4754E-04	2.9585E-03	4.2237E-02	20.8
131	7.5530E-04	8.5440E-04	2.9824E-03	4.2578E-02	21.4
132	7.6006E-04	8.6127E-04	3.0064E-03	4.2918E-02	22.0
133	7.6482E-04	8.6813E-04	3.0304E-03	4.3259E-02	22.6
134	7.6958E-04	8.7500E-04	3.0543E-03	4.3599E-02	23.2
135	7.7434E-04	8.8187E-04	3.0783E-03	4.3939E-02	23.8
136	7.7910E-04	8.8873E-04	3.1023E-03	4.4279E-02	24.3
137	7.8386E-04	8.9560E-04	3.1262E-03	4.4619E-02	24.9
138	7.8862E-04	9.0246E-04	3.1502E-03	4.4959E-02	25.5
139	7.9338E-04	9.0933E-04	3.1742E-03	4.5299E-02	26.0
140	7.9814E-04	9.1620E-04	3.1981E-03	4.5639E-02	26.6
141	8.0290E-04	9.2306E-04	3.2221E-03	4.5979E-02	27.2
142	8.0766E-04	9.2993E-04	3.2461E-03	4.6319E-02	27.7
143	8.1242E-04	9.3679E-04	3.2700E-03	4.6659E-02	28.3
144	8.1718E-04	9.4366E-04	3.2940E-03	4.6999E-02	28.8
145	8.2194E-04	9.5053E-04	3.3180E-03	4.7339E-02	29.4
146	8.2670E-04	9.5739E-04	3.3419E-03	4.7679E-02	29.9
147	8.3146E-04	9.6426E-04	3.3659E-03	4.8019E-02	30.5
148	8.3622E-04	9.7112E-04	3.3899E-03	4.8359E-02	31.0
149	8.4098E-04	9.7799E-04	3.4138E-03	4.8699E-02	31.5
150	8.4574E-04	9.8486E-04	3.4378E-03	4.9039E-02	32.1
151	8.5050E-04	9.9172E-04	3.4618E-03	4.9379E-02	32.6
152	8.5526E-04	9.9859E-04	3.4857E-03	4.9719E-02	33.1
153	8.6002E-04	1.0055E-03	3.5097E-03	5.0059E-02	33.6
154	8.6478E-04	1.0123E-03	3.5337E-03	5.0399E-02	34.2
155	8.6954E-04	1.0191E-03	3.5577E-03	5.0739E-02	34.7
156	8.7430E-04	1.0259E-03	3.5817E-03	5.1079E-02	35.2
157	8.7906E-04	1.0327E-03	3.6057E-03	5.1419E-02	35.7
158	8.8382E-04	1.0395E-03	3.6297E-03	5.1759E-02	36.2
159	8.8858E-04	1.0463E-03	3.6537E-03	5.2099E-02	36.7
160	8.9334E-04	1.0531E-03	3.6777E-03	5.2439E-02	37.2
161	8.9810E-04	1.0600E-03	3.7017E-03	5.2779E-02	37.8
162	9.0286E-04	1.0668E-03	3.7257E-03	5.3119E-02	38.3
163	9.0762E-04	1.0736E-03	3.7497E-03	5.3459E-02	38.8
164	9.1238E-04	1.0804E-03	3.7737E-03	5.3799E-02	39.3
165	9.1714E-04	1.0872E-03	3.7977E-03	5.4139E-02	39.7
166	9.2190E-04	1.0940E-03	3.8217E-03	5.4479E-02	40.2
167	9.2666E-04	1.1008E-03	3.8457E-03	5.4819E-02	40.7
168	9.3142E-04	1.1076E-03	3.8697E-03	5.5159E-02	41.2
169	9.3618E-04	1.1144E-03	3.8937E-03	5.5499E-02	41.7
170	9.4094E-04	1.1212E-03	3.9177E-03	5.5839E-02	42.2
171	9.4570E-04	1.1280E-03	3.9417E-03	5.6179E-02	42.7
172	9.5046E-04	1.1348E-03	3.9657E-03	5.6519E-02	43.1
173	9.5522E-04	1.1416E-03	3.9897E-03	5.6859E-02	43.6
174	9.5998E-04	1.1484E-03	4.0137E-03	5.7199E-02	44.1
175	9.6474E-04	1.1552E-03	4.0377E-03	5.7539E-02	44.6

ORIGINAL PAGE IS
OF POOR QUALITY

PCN	R2	R0	N	M	DEG C
176	9.6978E-04	1.1634E-03	A.0609E-03	5.7998E-02	45.0
177	9.7454E-04	1.1702E-03	A.0449E-03	5.8332E-02	45.5
178	9.7931E-04	1.1771E-03	A.1089E-03	5.8675E-02	46.0
179	9.8407E-04	1.1840E-03	A.1328E-03	5.9017E-02	46.4
180	9.8884E-04	1.1909E-03	A.1588E-03	5.9359E-02	46.9
181	9.9360E-04	1.1977E-03	A.1808E-03	5.9701E-02	47.4
182	9.9837E-04	1.2045E-03	A.2047E-03	6.0044E-02	47.8
183	1.0311E-03	1.2114E-03	A.2287E-03	6.0386E-02	48.3
184	1.0379E-03	1.2183E-03	A.2527E-03	6.0728E-02	48.7
185	1.0447E-03	1.2252E-03	A.2766E-03	6.1070E-02	49.2
186	1.0515E-03	1.2321E-03	A.3006E-03	6.1413E-02	49.6
187	1.0583E-03	1.2390E-03	A.3245E-03	6.1755E-02	50.1
188	1.0651E-03	1.2459E-03	A.3485E-03	6.2097E-02	50.5
189	1.0719E-03	1.2528E-03	A.3725E-03	6.2439E-02	51.0
190	1.0787E-03	1.2597E-03	A.3965E-03	6.2781E-02	51.4
191	1.0855E-03	1.2666E-03	A.4204E-03	6.3124E-02	51.9
192	1.0923E-03	1.2735E-03	A.4444E-03	6.3466E-02	52.3
193	1.0991E-03	1.2804E-03	A.4684E-03	6.3808E-02	52.7
194	1.1059E-03	1.2873E-03	A.4923E-03	6.4150E-02	53.2
195	1.1127E-03	1.2942E-03	A.5163E-03	6.4493E-02	53.6
196	1.1195E-03	1.3011E-03	A.5403E-03	6.4835E-02	54.0
197	1.1263E-03	1.3080E-03	A.5642E-03	6.5177E-02	54.5
198	1.1331E-03	1.3149E-03	A.5882E-03	6.5519E-02	54.9
199	1.1399E-03	1.3218E-03	A.6122E-03	6.5862E-02	55.3
200	1.1467E-03	1.3287E-03	A.6361E-03	6.6204E-02	55.7
201	1.1535E-03	1.3356E-03	A.6601E-03	6.6546E-02	56.2
202	1.1603E-03	1.3425E-03	A.6841E-03	6.6888E-02	56.6
203	1.1671E-03	1.3494E-03	A.7080E-03	6.7231E-02	57.0
204	1.1739E-03	1.3563E-03	A.7320E-03	6.7573E-02	57.4
205	1.1807E-03	1.3632E-03	A.7560E-03	6.7915E-02	57.9
206	1.1875E-03	1.3701E-03	A.7799E-03	6.8257E-02	58.3
207	1.1943E-03	1.3770E-03	A.8039E-03	6.8600E-02	58.7
208	1.2011E-03	1.3839E-03	A.8279E-03	6.8942E-02	59.1
209	1.2079E-03	1.3908E-03	A.8518E-03	6.9284E-02	59.5
210	1.2147E-03	1.3977E-03	A.8758E-03	6.9626E-02	59.9
211	1.2215E-03	1.4046E-03	A.8998E-03	6.9968E-02	60.3
212	1.2283E-03	1.4115E-03	A.9237E-03	7.0311E-02	60.7
213	1.2351E-03	1.4184E-03	A.9477E-03	7.0653E-02	61.1
214	1.2419E-03	1.4253E-03	A.9717E-03	7.0995E-02	61.5
215	1.2487E-03	1.4322E-03	A.9956E-03	7.1338E-02	61.9
216	1.2555E-03	1.4391E-03	S.0196E-03	7.1680E-02	62.3
217	1.2623E-03	1.4460E-03	S.0436E-03	7.2022E-02	62.7
218	1.2691E-03	1.4529E-03	S.0675E-03	7.2364E-02	63.1
219	1.2759E-03	1.4598E-03	S.0915E-03	7.2707E-02	63.5
220	1.2827E-03	1.4667E-03	S.1155E-03	7.3049E-02	63.9
221	1.2895E-03	1.4736E-03	S.1394E-03	7.3391E-02	64.3
222	1.2963E-03	1.4805E-03	S.1634E-03	7.3733E-02	64.7
223	1.3031E-03	1.4874E-03	S.1874E-03	7.4076E-02	65.1
224	1.3099E-03	1.4943E-03	S.2113E-03	7.4418E-02	65.5
225	1.3167E-03	1.5012E-03	S.2353E-03	7.4760E-02	65.9
226	1.3235E-03	1.5081E-03	S.2593E-03	7.5102E-02	66.3
227	1.3303E-03	1.5150E-03	S.2832E-03	7.5444E-02	66.7
228	1.3371E-03	1.5219E-03	S.3072E-03	7.5786E-02	67.0
229	1.3439E-03	1.5288E-03	S.3312E-03	7.6128E-02	67.4
230	1.3507E-03	1.5357E-03	S.3551E-03	7.6470E-02	67.8
231	1.3575E-03	1.5426E-03	S.3791E-03	7.6812E-02	68.2
232	1.3643E-03	1.5495E-03	S.4031E-03	7.7154E-02	68.6
233	1.3711E-03	1.5564E-03	S.4271E-03	7.7496E-02	69.0
234	1.3779E-03	1.5633E-03	S.4511E-03	7.7838E-02	69.4

ORIGINAL PAGE IS
OF POOR QUALITY

PC#	R2	R0	N	W	DEG C
235	1.2509E-03	1.5685E-03	5.4750E-03	7.6163E-02	69.7
236	1.2557E-03	1.5753E-03	5.4989E-03	7.6525E-02	70.1
237	1.2604E-03	1.5822E-03	5.5229E-03	7.6867E-02	70.5
238	1.2652E-03	1.5891E-03	5.5469E-03	7.7209E-02	70.8
239	1.2700E-03	1.5959E-03	5.5708E-03	7.7552E-02	71.2
240	1.2747E-03	1.6028E-03	5.5948E-03	7.7894E-02	71.6
241	1.2795E-03	1.6097E-03	5.6188E-03	7.8236E-02	71.9
242	1.2843E-03	1.6165E-03	5.6427E-03	8.0578E-02	72.3
243	1.2890E-03	1.6234E-03	5.6667E-03	8.0920E-02	72.7
244	1.2938E-03	1.6303E-03	5.6907E-03	8.1263E-02	73.0
245	1.2985E-03	1.6371E-03	5.7146E-03	8.1605E-02	73.4
246	1.3033E-03	1.6440E-03	5.7386E-03	8.1947E-02	73.8
247	1.3080E-03	1.6509E-03	5.7626E-03	8.2289E-02	74.1
248	1.3128E-03	1.6577E-03	5.7865E-03	8.2632E-02	74.5
249	1.3176E-03	1.6646E-03	5.8105E-03	8.2974E-02	74.8
250	1.3224E-03	1.6715E-03	5.8345E-03	8.3316E-02	75.2
251	1.3272E-03	1.6783E-03	5.8584E-03	8.3659E-02	75.6
252	1.3319E-03	1.6852E-03	5.8824E-03	8.4001E-02	75.9
253	1.3367E-03	1.6921E-03	5.9064E-03	8.4343E-02	76.3
254	1.3414E-03	1.6989E-03	5.9303E-03	8.4685E-02	76.6
255	1.3462E-03	1.7058E-03	5.9543E-03	8.5027E-02	77.0

Attachment 2 -- Histogram of pixels per PCM count

THERE ARE 12772 BLOCKED PIXELS.
 THERE WERE 1250 SCAN LINES USED TO MAKE THIS SAMPLE.
 EACH ASTERISK IN THE HISTOGRAM REPRESENTS TEN INSTANCES OF COUNT VALUE.

PCM CT: 0.	* PIXELS=	0
PCM CT: 1.	* PIXELS=	0
PCM CT: 2.	* PIXELS=	0
PCM CT: 3.	* PIXELS=	0
PCM CT: 4.	* PIXELS=	0
PCM CT: 5.	* PIXELS=	0
PCM CT: 6.	* PIXELS=	0
PCM CT: 7.	* PIXELS=	0
PCM CT: 8.	* PIXELS=	0
PCM CT: 9.	* PIXELS=	0
PCM CT: 10.	* PIXELS=	0
PCM CT: 11.	* PIXELS=	0
PCM CT: 12.	* PIXELS=	0
PCM CT: 13.	* PIXELS=	0
PCM CT: 14.	* PIXELS=	0
PCM CT: 15.	* PIXELS=	0
PCM CT: 16.	* PIXELS=	0
PCM CT: 17.	* PIXELS=	0
PCM CT: 18.	* PIXELS=	0
PCM CT: 19.	* PIXELS=	0
PCM CT: 20.	* PIXELS=	0
PCM CT: 21.	* PIXELS=	0
PCM CT: 22.	* PIXELS=	0
PCM CT: 23.	* PIXELS=	0
PCM CT: 24.	* PIXELS=	0
PCM CT: 25.	* PIXELS=	0
PCM CT: 26.	* PIXELS=	0
PCM CT: 27.	* PIXELS=	0
PCM CT: 28.	* PIXELS=	0
PCM CT: 29.	* PIXELS=	0
PCM CT: 30.	* PIXELS=	0
PCM CT: 31.	* PIXELS=	0
PCM CT: 32.	* PIXELS=	0
PCM CT: 33.	* PIXELS=	0
PCM CT: 34.	* PIXELS=	0
PCM CT: 35.	* PIXELS=	0
PCM CT: 36.	* PIXELS=	0
PCM CT: 37.	* PIXELS=	0
PCM CT: 38.	* PIXELS=	0
PCM CT: 39.	* PIXELS=	0
PCM CT: 40.	* PIXELS=	0
PCM CT: 41.	* PIXELS=	0
PCM CT: 42.	* PIXELS=	0
PCM CT: 43.	* PIXELS=	0
PCM CT: 44.	* PIXELS=	0
PCM CT: 45.	* PIXELS=	0
PCM CT: 46.	* PIXELS=	0
PCM CT: 47.	* PIXELS=	0
PCM CT: 48.	* PIXELS=	0
PCM CT: 49.	* PIXELS=	0
PCM CT: 50.	* PIXELS=	0
PCM CT: 51.	* PIXELS=	0
PCM CT: 52.	* PIXELS=	0
PCM CT: 53.	* PIXELS=	0
PCM CT: 54.	* PIXELS=	0

ORIGINAL PAGE IS
 OF POOR QUALITY

ORIGINAL PAGE IS
OF POOR QUALITY.

← 8.8°C

PC1 C1:	55.	#	PIXELS=	0
PC2 C1:	56.	#	PIXELS=	0
PC3 C1:	57.	#	PIXELS=	0
PC4 C1:	58.	#	PIXELS=	0
PC5 C1:	59.	#	PIXELS=	0
PC6 C1:	60.	#	PIXELS=	0
PC7 C1:	61.	#	PIXELS=	0
PC8 C1:	62.	#	PIXELS=	0
PC9 C1:	63.	#	PIXELS=	0
PC10 C1:	64.	#	PIXELS=	0
PC11 C1:	65.	#	PIXELS=	0
PC12 C1:	66.	#	PIXELS=	0
PC13 C1:	67.	#	PIXELS=	0
PC14 C1:	68.	#	PIXELS=	0
PC15 C1:	69.	#	PIXELS=	0
PC16 C1:	70.	#	PIXELS=	0
PC17 C1:	71.	#	PIXELS=	0
PC18 C1:	72.	#	PIXELS=	0
PC19 C1:	73.	#	PIXELS=	0
PC20 C1:	74.	#	PIXELS=	0
PC21 C1:	75.	#	PIXELS=	0
PC22 C1:	76.	#	PIXELS=	0
PC23 C1:	77.	#	PIXELS=	0
PC24 C1:	78.	#	PIXELS=	0
PC25 C1:	79.	#	PIXELS=	0
PC26 C1:	80.	#	PIXELS=	0
PC27 C1:	81.	#	PIXELS=	0
PC28 C1:	82.	#	PIXELS=	0
PC29 C1:	83.	#	PIXELS=	0
PC30 C1:	84.	#	PIXELS=	0
PC31 C1:	85.	#	PIXELS=	0
PC32 C1:	86.	#	PIXELS=	0
PC33 C1:	87.	#	PIXELS=	0
PC34 C1:	88.	#	PIXELS=	0
PC35 C1:	89.	#	PIXELS=	0
PC36 C1:	90.	#	PIXELS=	0
PC37 C1:	91.	#	PIXELS=	0
PC38 C1:	92.	#	PIXELS=	0
PC39 C1:	93.	#	PIXELS=	0
PC40 C1:	94.	#	PIXELS=	1
PC41 C1:	95.	#	PIXELS=	0
PC42 C1:	96.	#	PIXELS=	0
PC43 C1:	97.	#	PIXELS=	1
PC44 C1:	98.	#	PIXELS=	0
PC45 C1:	99.	#	PIXELS=	1
PC46 C1:	100.	#	PIXELS=	1
PC47 C1:	101.	#	PIXELS=	3
PC48 C1:	102.	#	PIXELS=	1
PC49 C1:	103.	#	PIXELS=	3
PC50 C1:	104.	#	PIXELS=	3
PC51 C1:	105.	#	PIXELS=	3
PC52 C1:	106.	#	PIXELS=	7
PC53 C1:	107.	#	PIXELS=	5
PC54 C1:	108.	#	PIXELS=	6
PC55 C1:	109.	#	PIXELS=	8
PC56 C1:	110.	#	PIXELS=	5
PC57 C1:	111.	#	PIXELS=	15
PC58 C1:	112.	#	PIXELS=	11
PC59 C1:	113.	#	PIXELS=	4
PC60 C1:	114.	#	PIXELS=	11

ORIGINAL PAGE IS
OF POOR QUALITY

← 33.6°C

PCM CT: 115. * P: XELS= 8
PCM CT: 116. * P: XELS= 10
PCM CT: 117. * P: XELS= 22
PCM CT: 118. * P: XELS= 21
PCM CT: 119. * P: XELS= 21
PCM CT: 120. * P: XELS= 23
PCM CT: 121. * P: XELS= 32
PCM CT: 122. * P: XELS= 24
PCM CT: 123. * P: XELS= 20
PCM CT: 124. * P: XELS= 41
PCM CT: 125. * P: XELS= 45
PCM CT: 126. * P: XELS= 31
PCM CT: 127. * P: XELS= 30
PCM CT: 128. * P: XELS= 44
PCM CT: 129. * P: XELS= 53
PCM CT: 130. * P: XELS= 65
PCM CT: 131. * P: XELS= 52
PCM CT: 132. * P: XELS= 61
PCM CT: 133. * P: XELS= 48
PCM CT: 134. * P: XELS= 63
PCM CT: 135. * P: XELS= 77
PCM CT: 136. * P: XELS= 115
PCM CT: 137. * P: XELS= 94
PCM CT: 138. * P: XELS= 122
PCM CT: 139. * P: XELS= 155
PCM CT: 140. * P: XELS= 144
PCM CT: 141. * P: XELS= 195
PCM CT: 142. * P: XELS= 106
PCM CT: 143. * P: XELS= 203
PCM CT: 144. * P: XELS= 278
PCM CT: 145. * P: XELS= 524
PCM CT: 146. * P: XELS= 652
PCM CT: 147. * P: XELS= 751
PCM CT: 148. * P: XELS= 766
PCM CT: 149. * P: XELS= 852
PCM CT: 150. * P: XELS= 873
PCM CT: 151. * P: XELS= 848
PCM CT: 152. * P: XELS= 832
PCM CT: 153. * P: XELS= 826
PCM CT: 154. * P: XELS= 524
PCM CT: 155. * P: XELS= 466
PCM CT: 156. * P: XELS= 356
PCM CT: 157. * P: XELS= 293
PCM CT: 158. * P: XELS= 270
PCM CT: 159. * P: XELS= 251
PCM CT: 160. * P: XELS= 216
PCM CT: 161. * P: XELS= 190
PCM CT: 162. * P: XELS= 156
PCM CT: 163. * P: XELS= 157
PCM CT: 164. * P: XELS= 106
PCM CT: 165. * P: XELS= 74
PCM CT: 166. * P: XELS= 74
PCM CT: 167. * P: XELS= 62
PCM CT: 168. * P: XELS= 50
PCM CT: 169. * P: XELS= 31
PCM CT: 170. * P: XELS= 25
PCM CT: 171. * P: XELS= 25
PCM CT: 172. * P: XELS= 25
PCM CT: 173. * P: XELS= 25
PCM CT: 174. * P: XELS= 25

Lowest Temp. = -3.4°C

Highest Temp. = 52.3°C

ORIGINAL PAGE IS
OF POOR QUALITY

← 46.4°C

PC	CT	175.	#	PIXELS=	26
PC	CT	176.	#	PIXELS=	22
PC	CT	177.	#	PIXELS=	16
PC	CT	178.	#	PIXELS=	20
PC	CT	179.	#	PIXELS=	10
PC	CT	180.	#	PIXELS=	8
PC	CT	181.	#	PIXELS=	6
PC	CT	182.	#	PIXELS=	6
PC	CT	183.	#	PIXELS=	3
PC	CT	184.	#	PIXELS=	2
PC	CT	185.	#	PIXELS=	1
PC	CT	186.	#	PIXELS=	1
PC	CT	187.	#	PIXELS=	0
PC	CT	188.	#	PIXELS=	0
PC	CT	189.	#	PIXELS=	0
PC	CT	190.	#	PIXELS=	0
PC	CT	191.	#	PIXELS=	0
PC	CT	192.	#	PIXELS=	1
PC	CT	193.	#	PIXELS=	0
PC	CT	194.	#	PIXELS=	0
PC	CT	195.	#	PIXELS=	0
PC	CT	196.	#	PIXELS=	0
PC	CT	197.	#	PIXELS=	0
PC	CT	198.	#	PIXELS=	0
PC	CT	199.	#	PIXELS=	0
PC	CT	200.	#	PIXELS=	0
PC	CT	201.	#	PIXELS=	0
PC	CT	202.	#	PIXELS=	0
PC	CT	203.	#	PIXELS=	0
PC	CT	204.	#	PIXELS=	0
PC	CT	205.	#	PIXELS=	0
PC	CT	206.	#	PIXELS=	0
PC	CT	207.	#	PIXELS=	0
PC	CT	208.	#	PIXELS=	0
PC	CT	209.	#	PIXELS=	0
PC	CT	210.	#	PIXELS=	0
PC	CT	211.	#	PIXELS=	0
PC	CT	212.	#	PIXELS=	0
PC	CT	213.	#	PIXELS=	0
PC	CT	214.	#	PIXELS=	0
PC	CT	215.	#	PIXELS=	0
PC	CT	216.	#	PIXELS=	0
PC	CT	217.	#	PIXELS=	0
PC	CT	218.	#	PIXELS=	0
PC	CT	219.	#	PIXELS=	0
PC	CT	220.	#	PIXELS=	0
PC	CT	221.	#	PIXELS=	0
PC	CT	222.	#	PIXELS=	0
PC	CT	223.	#	PIXELS=	0
PC	CT	224.	#	PIXELS=	0
PC	CT	225.	#	PIXELS=	0
PC	CT	226.	#	PIXELS=	0
PC	CT	227.	#	PIXELS=	0
PC	CT	228.	#	PIXELS=	0
PC	CT	229.	#	PIXELS=	0
PC	CT	230.	#	PIXELS=	0
PC	CT	231.	#	PIXELS=	0
PC	CT	232.	#	PIXELS=	0
PC	CT	233.	#	PIXELS=	0
PC	CT	234.	#	PIXELS=	0

[illegible]

ORIGINAL PAGE IS
OF POOR QUALITY

0	0	1	0	2	0	3	0	4	0	5	0	6	0	7	0	8	0	9	0
10	0	11	0	12	0	13	0	14	0	15	0	16	0	17	0	18	0	19	0
20	0	21	0	22	0	23	0	24	0	25	0	26	0	27	0	28	0	29	0
30	0	31	0	32	0	33	0	34	0	35	0	36	0	37	0	38	0	39	0
40	0	41	0	42	0	43	0	44	0	45	0	46	0	47	0	48	0	49	0
50	0	51	0	52	0	53	0	54	0	55	0	56	0	57	0	58	0	59	0
60	0	61	0	62	0	63	0	64	0	65	0	66	0	67	0	68	0	69	0
70	0	71	0	72	0	73	0	74	0	75	0	76	0	77	0	78	0	79	0
80	0	81	0	82	0	83	0	84	0	85	0	86	0	87	0	88	0	89	0
90	0	91	0	92	0	93	0	94	1	95	0	96	0	97	1	98	0	99	1
100	1	101	3	102	1	103	3	104	3	105	3	106	7	107	5	108	8	109	6
110	1	111	15	112	11	113	4	114	11	115	8	116	10	117	27	118	-21	119	21
120	23	121	32	122	24	123	20	124	41	125	45	126	31	127	30	128	44	129	44
130	33	131	65	132	52	133	61	134	88	135	63	136	77	137	75	138	115	139	94
140	34	141	122	142	155	143	142	142	135	145	186	146	205	147	279	148	594	149	652
150	71	151	756	152	552	153	573	154	808	155	832	156	626	157	524	158	565	159	396
160	218	161	270	162	251	163	216	164	190	165	158	166	157	167	104	168	74	169	74
170	32	171	46	172	31	173	25	174	25	175	26	176	22	177	16	178	20	179	10
180	3	181	6	182	6	183	3	184	2	185	1	186	1	187	0	188	0	189	0
190	6	191	6	192	6	193	3	194	0	195	0	196	0	197	0	198	0	199	0
200	6	201	6	202	6	203	6	204	0	205	0	206	0	207	0	208	0	209	0
210	6	211	6	212	6	213	0	214	0	215	0	216	0	217	0	218	0	219	0
220	6	221	9	222	0	223	0	224	0	225	0	226	0	227	0	228	0	229	0
230	6	231	0	232	0	233	0	234	0	235	0	236	0	237	0	238	0	239	0
240	6	241	0	242	0	243	0	244	0	245	0	246	0	247	0	248	0	249	0
250	6	251	0	252	0	253	0	254	0	255	0	256	0	257	0	258	0	259	0

DATE OF OBSERVATION= 12772
NUMBER OF OBSERVATIONS= 12772

CONFIDENTIAL AND UNCLASSIFIED
00660-341
21121

153.66930

151.85233

STANDARD DEVIATION= 10.08963

PEASONS I (MODE) = -.34124

721916 - 2 SUGARHED
15543-170

22. $\lim_{x \rightarrow 0} \frac{1}{x} = \infty$ and $\lim_{x \rightarrow 0} \frac{1}{x} = -\infty$ are false. $\lim_{x \rightarrow 0} \frac{1}{x} = \infty$ means that for every $M > 0$, there is a $\delta > 0$ such that if $0 < x < \delta$, then $\frac{1}{x} > M$. This is true. $\lim_{x \rightarrow 0} \frac{1}{x} = -\infty$ means that for every $M > 0$, there is a $\delta > 0$ such that if $-\delta < x < 0$, then $\frac{1}{x} < -M$. This is also true. $\lim_{x \rightarrow 0} \frac{1}{x} = \infty$ and $\lim_{x \rightarrow 0} \frac{1}{x} = -\infty$ are both true.

...the ...

1950

Attachment 4 -- Sample of output from the
Outcalt climate simulator

ORIGINAL PAGE IS
OF POOR QUALITY

LATITUDE= 39.9
MEAN DIURNAL AIR TEMP.(C)= 21.0
SOLAR DECLINATION= 14.4
AIR SATURATION VAPOR PRESSURE= 0.00
STATION PRESSURE (PS)=1000.
AIR WIND VELOCITY (CM/SEC)= 50.
DUST PARTICLES/CC= 2.0
SOIL THERMAL DIFFUSIVITY (CGS)=.0050
OPTICAL PROPERTIES VECTOR=1.01506
SOIL VOL. HEAT CAPACITY (CGS)=.5000
ALCOHOL=0.20
MOISTURE LOSS (CGS)= 0.
PRECIPITABLE WATER (CM)= 10.
SOIL WET FRACTION=1.00
SKY COOLANT TEMP.(C)= -1.0
SUN POSITION=0.10
EXP. SLOPE= 0.9
SLOPE= 0.0
SOIL DAMPING DEPTH (CM)= 51.
AIR DAMPING DEPTH (CM)= 1240.
AIR HEAT TRANSFER COEFF.(CGS)= 0.00106

TIME (SEC)	EAT TEMP	HEAT FLUX	DIFF RACK	TOTAL	VENT RAD	SLOPE RAD
5.	20.	0.	13.	15.	0.	12.
6.	312.	114.	14.	214.	658.	140.
7.	754.	364.	114.	492.	945.	603.
8.	1014.	634.	124.	774.	177.	657.
9.	1342.	841.	130.	1029.	492.	879.
10.	1614.	1074.	143.	1228.	770.	1040.
11.	1747.	1192.	145.	1354.	672.	1137.
12.	1805.	1282.	156.	1534.	634.	1169.
13.	1747.	1194.	154.	1354.	672.	1137.
14.	1614.	1074.	143.	1228.	770.	1040.
15.	1342.	841.	130.	1029.	492.	879.
16.	1014.	634.	124.	774.	177.	657.
17.	754.	364.	114.	492.	945.	603.
18.	312.	114.	14.	214.	658.	140.
19.	20.	0.	13.	15.	0.	12.

SOLAR TIME	W	S	ALL W/MIN	LE	T (C.)
0.	0.	64.	103.	-46.	12.4
1.	0.	63.	104.	-93.	12.2
2.	0.	64.	105.	-91.	12.1
3.	0.	67.	106.	-49.	12.0
4.	0.	67.	107.	-47.	11.0

2.	12.	-62.	45.	106.	-49.	12.0
3.	140.	92.	-27.	87.	-148.	14.5
7.	491.	294.	-40.	-7.	-251.	17.8
8.	574.	724.	-134.	-0.	-391.	21.1
9.	574.	724.	-134.	-73.	-531.	23.9
10.	1003.	475.	-150.	-73.	-640.	25.8
11.	1137.	965.	-139.	-99.	-725.	26.9
12.	1109.	994.	-120.	-102.	-765.	27.4
13.	1137.	965.	-45.	-104.	-765.	27.4
14.	1003.	475.	-64.	-93.	-717.	26.7
15.	574.	724.	-26.	-70.	-622.	25.3
16.	574.	724.	21.	-34.	-699.	23.3
17.	140.	277.	72.	10.	-379.	20.4
18.	140.	277.	114.	51.	-239.	17.4
19.	12.	-77.	145.	87.	-131.	14.6
20.	6.	-15.	117.	93.	-125.	13.6
21.	0.	-6.	94.	97.	-115.	13.2
22.	0.	-7.	64.	99.	-104.	12.9
23.	0.	-77.	79.	101.	-103.	12.7

SOIL TEMPERATURE MATRIX

11.7	0.	3.	6.	13.	25.
12.7	13.5	15.1	17.1	18.6	18.6
12.2	13.6	14.8	16.4	18.5	18.5
12.1	13.6	14.6	16.5	18.4	18.4
12.0	13.2	14.3	16.2	18.3	18.3
11.9	13.1	14.1	16.0	18.2	18.2
11.8	13.0	14.0	15.9	18.1	18.1
11.7	12.9	13.9	15.8	18.0	18.0
11.6	12.8	13.8	15.7	17.9	17.9
11.5	12.7	13.7	15.6	17.8	17.8
11.4	12.6	13.6	15.5	17.7	17.7
11.3	12.5	13.5	15.4	17.6	17.6
11.2	12.4	13.4	15.3	17.5	17.5
11.1	12.3	13.3	15.2	17.4	17.4
11.0	12.2	13.2	15.1	17.3	17.3
10.9	12.1	13.1	15.0	17.2	17.2
10.8	12.0	13.0	14.9	17.1	17.1
10.7	11.9	12.9	14.8	17.0	17.0
10.6	11.8	12.8	14.7	16.9	16.9
10.5	11.7	12.7	14.6	16.8	16.8
10.4	11.6	12.6	14.5	16.7	16.7
10.3	11.5	12.5	14.4	16.6	16.6
10.2	11.4	12.4	14.3	16.5	16.5
10.1	11.3	12.3	14.2	16.4	16.4
10.0	11.2	12.2	14.1	16.3	16.3
9.9	11.1	12.1	14.0	16.2	16.2
9.8	11.0	12.0	13.9	16.1	16.1
9.7	10.9	11.9	13.8	16.0	16.0
9.6	10.8	11.8	13.7	15.9	15.9
9.5	10.7	11.7	13.6	15.8	15.8
9.4	10.6	11.6	13.5	15.7	15.7
9.3	10.5	11.5	13.4	15.6	15.6
9.2	10.4	11.4	13.3	15.5	15.5
9.1	10.3	11.3	13.2	15.4	15.4
9.0	10.2	11.2	13.1	15.3	15.3
8.9	10.1	11.1	13.0	15.2	15.2
8.8	10.0	11.0	12.9	15.1	15.1
8.7	9.9	10.9	12.8	15.0	15.0
8.6	9.8	10.8	12.7	14.9	14.9
8.5	9.7	10.7	12.6	14.8	14.8
8.4	9.6	10.6	12.5	14.7	14.7
8.3	9.5	10.5	12.4	14.6	14.6
8.2	9.4	10.4	12.3	14.5	14.5
8.1	9.3	10.3	12.2	14.4	14.4
8.0	9.2	10.2	12.1	14.3	14.3
7.9	9.1	10.1	12.0	14.2	14.2
7.8	9.0	10.0	11.9	14.1	14.1
7.7	8.9	9.9	11.8	14.0	14.0
7.6	8.8	9.8	11.7	13.9	13.9
7.5	8.7	9.7	11.6	13.8	13.8
7.4	8.6	9.6	11.5	13.7	13.7
7.3	8.5	9.5	11.4	13.6	13.6
7.2	8.4	9.4	11.3	13.5	13.5
7.1	8.3	9.3	11.2	13.4	13.4
7.0	8.2	9.2	11.1	13.3	13.3
6.9	8.1	9.1	11.0	13.2	13.2
6.8	8.0	9.0	10.9	13.1	13.1
6.7	7.9	8.9	10.8	13.0	13.0
6.6	7.8	8.8	10.7	12.9	12.9
6.5	7.7	8.7	10.6	12.8	12.8
6.4	7.6	8.6	10.5	12.7	12.7
6.3	7.5	8.5	10.4	12.6	12.6
6.2	7.4	8.4	10.3	12.5	12.5
6.1	7.3	8.3	10.2	12.4	12.4
6.0	7.2	8.2	10.1	12.3	12.3
5.9	7.1	8.1	10.0	12.2	12.2
5.8	7.0	8.0	9.9	12.1	12.1
5.7	6.9	7.9	9.8	12.0	12.0
5.6	6.8	7.8	9.7	11.9	11.9
5.5	6.7	7.7	9.6	11.8	11.8
5.4	6.6	7.6	9.5	11.7	11.7
5.3	6.5	7.5	9.4	11.6	11.6
5.2	6.4	7.4	9.3	11.5	11.5
5.1	6.3	7.3	9.2	11.4	11.4
5.0	6.2	7.2	9.1	11.3	11.3
4.9	6.1	7.1	9.0	11.2	11.2
4.8	6.0	7.0	8.9	11.1	11.1
4.7	5.9	6.9	8.8	11.0	11.0
4.6	5.8	6.8	8.7	10.9	10.9
4.5	5.7	6.7	8.6	10.8	10.8
4.4	5.6	6.6	8.5	10.7	10.7
4.3	5.5	6.5	8.4	10.6	10.6
4.2	5.4	6.4	8.3	10.5	10.5
4.1	5.3	6.3	8.2	10.4	10.4
4.0	5.2	6.2	8.1	10.3	10.3
3.9	5.1	6.1	8.0	10.2	10.2
3.8	5.0	6.0	7.9	10.1	10.1
3.7	4.9	5.9	7.8	10.0	10.0
3.6	4.8	5.8	7.7	9.9	9.9
3.5	4.7	5.7	7.6	9.8	9.8
3.4	4.6	5.6	7.5	9.7	9.7
3.3	4.5	5.5	7.4	9.6	9.6
3.2	4.4	5.4	7.3	9.5	9.5
3.1	4.3	5.3	7.2	9.4	9.4
3.0	4.2	5.2	7.1	9.3	9.3
2.9	4.1	5.1	7.0	9.2	9.2
2.8	4.0	5.0	6.9	9.1	9.1
2.7	3.9	4.9	6.8	9.0	9.0
2.6	3.8	4.8	6.7	8.9	8.9
2.5	3.7	4.7	6.6	8.8	8.8
2.4	3.6	4.6	6.5	8.7	8.7
2.3	3.5	4.5	6.4	8.6	8.6
2.2	3.4	4.4	6.3	8.5	8.5
2.1	3.3	4.3	6.2	8.4	8.4
2.0	3.2	4.2	6.1	8.3	8.3
1.9	3.1	4.1	6.0	8.2	8.2
1.8	3.0	4.0	5.9	8.1	8.1
1.7	2.9	3.9	5.8	8.0	8.0
1.6	2.8	3.8	5.7	7.9	7.9
1.5	2.7	3.7	5.6	7.8	7.8
1.4	2.6	3.6	5.5	7.7	7.7
1.3	2.5	3.5	5.4	7.6	7.6
1.2	2.4	3.4	5.3	7.5	7.5
1.1	2.3	3.3	5.2	7.4	7.4
1.0	2.2	3.2	5.1	7.3	7.3
0.9	2.1	3.1	5.0	7.2	7.2
0.8	2.0	3.0	4.9	7.1	7.1
0.7	1.9	2.9	4.8	7.0	7.0
0.6	1.8	2.8	4.7	6.9	6.9
0.5	1.7	2.7	4.6	6.8	6.8
0.4	1.6	2.6	4.5	6.7	6.7
0.3	1.5	2.5	4.4	6.6	6.6
0.2	1.4	2.4	4.3	6.5	6.5
0.1	1.3	2.3	4.2	6.4	6.4
0.0	1.2	2.2	4.1	6.3	6.3